

# SAFETY DATA SHEET

## 1. IDENTIFICATION

- 1.1** Product identifier  
 Trade name : PSC 2304 Flexible Exterior Epoxy Resin Part "A":  
 Chemical name : Bisphenol A Diglycidyl Ether Resin Solution
- 1.2** Recommended use of the product and restrictions on use  
 Recommended use : Industrial Use  
 Non- recommended use(s) : None known
- 1.3** Details of the supplier of the safety data sheet  
 Company : Polymer Science Corporation.  
 : Unit 1133, 6027 – 79 Avenue S.E  
 : Calgary, Alberta. Canada T2C 5P1  
 Telephone : 403 287 2751  
 Fax : 403 287 2766  
 Website : www.polymersciencecorp.com
- 1.4** Emergency telephone number  
 Emergency : In case of emergency call CANUTEC: 613-996-6666

## 2. HAZARD IDENTIFICATION

- 2.1** Classification of the substance or mixture  
 Eye Irritant : Category 2B  
 Skin Irritant
- 2.2** Label Elements  
 Symbol :



- Signal word : Warning  
 Hazard statement : Causes eye irritation  
 : Causes skin irritation  
 : May cause an allergic skin reaction  
 : Toxic to aquatic life with long lasting effects
- Precautionary Statements : Wear protective gloves / protective clothing / eye protection / face protection.  
 : Use only outdoors or in a well ventilated area.  
 : Avoid release to the environment

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

- 3.1** Substances  
 --
- 3.2** Mixtures

Chemical Name	C.A.S.#	Concentration
Bisphenol A Diglycidyl Ether Resin	25068-38-06	75 - 95

## 4 FIRST AID MEASURES

- EYE CONTACT:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. If eye irritation persists: Get medical attention.
- SKIN CONTACT:** Wash with soap and water or use waterless hand cleaners. Do not use solvents or thinners to clean skin. Get medical attention if irritation persists.
- INHALATION:** Should symptoms develop, remove victim to fresh air. If breathing is difficult, qualified personnel may administer oxygen. If victim is not breathing start artificial respiration. Get medical attention.
- INGESTION:** Give liquids if victim is conscious. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician. Immediately call a POISON CENTER / Doctor

## 5 FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media  
Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam  
Unsuitable extinguishing media : Full water jet, because this may spread the fire.
- 5.2 Hazards  
Flammable properties and hazards : Product is not considered a fire hazard. Containers can build up pressure if exposed to heat.  
Hazardous combustion products : Hazardous decomposition products formed under fire conditions are Carbon dioxide and Carbon monoxide.
- 5.3 Fire-fighting instructions:  
Do not inhale combustion gases. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## 6 ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures.  
Use personal protective equipment. Wear chemical safety glasses, rubber boots and heavy rubber gloves.  
Ensure adequate ventilation
- 6.2 Environmental precautions  
Do not allow to enter drains, waterways, sewers, basements or confined areas.  
Do not discharge into the subsoil / soil. Absorb spills with inert material and place in a chemical waste container.

## 7 HANDLING AND STORAGE

- 7.1 Precautions for safe handling  
Avoid all personal contact. Use personal protective equipment. Use adequate ventilation.
- 7.2 Hygiene considerations.  
Wash hands before breaks and after work. Remove soiled or soaked clothing immediately. Wash contaminated clothes before reuse. Do not eat, drink or smoke when handling this product.
- 7.3 Safe storage procedures  
Keep away from heat. Keep containers tightly closed in a dry well ventilated place.

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 EXPOSURE LIMITS

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TLV	OTHER LIMIST
Bisphenol A Diglycidyl Ether Resin	25068-38-6	No data	No data	No data

### 8.2 EXPOSURE CONTROLS

#### ENGINEERING CONTROLS

Good general ventilation should be sufficient to control airborne levels.

#### PERSONAL PROTECTIVE EQUIPMENT

Respiratory Equipment	: Normally when good engineering controls are used, no respiratory protection is needed
Eye Protection	: Use tightly fitting chemical splash goggles. Wear face protection, wear as appropriate.
Hand Protection	: Use impermeable gloves. Neoprene gloves
Body Protection	: Use impervious clothing and chemical resistant boots. Consider using resistant coveralls and aprons, if extensive exposure is possible.
Other Protective Equipment	: Ensure that eyewash stations and safety showers are close to the workstation location.
General Hygiene Consideration	: Do not breathe mist or vapor. Avoid all contact. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not take contaminated clothes home.
Environmental Exposure Controls	: Avoid runoff into storm sewers and ditches which lead to waterways. May be hazardous to the environment if released in large quantities

## 9 PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure	: Not Applicable
Vapor Density	: Not Applicable
Boiling Point	: Not Applicable
PH	: Not Applicable
Specific Gravity	: 1.0 – 1.2 g/ cm <sup>3</sup>
Viscosity	: 2500 cP
VOC content	: 0
Evaporation rate	: Slower than n-Butyl Acetate
Solubility in water	: Negligible
Other Properties	: Clear, slightly yellow liquid

## 10 STABILITY AND REACTIVITY

Stability	: Stable under normal conditions
Hazardous Polymerization	: Will not occur under normal conditions
Conditions to avoid	: High temperatures
Incompatibility with other materials	: Oxidizing materials, acid, alkalis, peroxides.

## 11 TOXICOLOGICAL INFORMATION

- 11.1 Toxicological Information  
May cause sensitization by skin contact.
- 11.2 Chronic Toxicological Effects  
Skin sensitization.
- 11.3 Irritation or Corrosion  
Skin Irritation. Irritating to eyes.
- 11.4 Symptoms related to Toxicological Characteristics  
Skin Irritation. Slight Irritant to eyes.

## 12 ECOLOGICAL INFORMATION

- 12.1 General Ecological Information  
Avoid release to the environment. Toxic to aquatic life with long lasting effects.
- 12.2 Ecotoxicity  
Toxic to aquatic organisms (LC50 between 1 and 10 mg/L)
- 12.3 Persistence and degradability.  
Not readily biodegradable.
- 12.4 Bioaccumulation potential  
No data available
- 12.5 Mobility in soil  
Not reported, unknown.

## 13 DISPOSAL CONSIDERATIONS

Waste Disposal Method  
Incinerate or dispose of unused material, residues and containers in a licensed facility in accordance with all applicable local, state and federal regulations.  
Do not discharge substance/product into sewage system.

## 14 TRANSPORTATION INFORMATION

- 14.1 Identification, UN number : Not Regulated
  - 14.2 Shipping Name : Epoxy Resin
  - 14.3 Hazard Class : Not Applicable
  - 14.4 Packing Group : Not applicable
- Transport over land ADR/RID : Not regulated for transport  
Transport over sea IMDG : Not regulated for transport  
Transport by air ICAO/IATA : Not regulated for transport

## 15 OTHER INFORMATION

Preparation Date : March 2017  
SDS prepared by : Polymer Science Corp. 403 287 2751

The information is furnished without warranty, representation, inducement, license of any kind, except that it is accurate to the best of Polymer Science Corporation's knowledge or obtained from sources believed by to be accurate and Polymer Science Corporation does not assume any legal responsibility for use or reliance on same. Customers are encouraged to do their own tests.